


DOCKET NO: 193390US2PCT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :
ICHIRO KAMIYA, ET AL. : EXAMINER: MANOHARA, V.
SERIAL NO: 09/581,235 :
FILED: AUGUST 17, 2000 : GROUP ART UNIT: 1764
FOR: DESALINATION METHOD AND :
DESALINATION APPARATUS :

AMENDMENT UNDER 37 C.F.R. § 1.312


COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

Prior to issuance, please amend the above-identified application as follows:


Amendments to the Claims are reflected in the listing of claims which begins on
page 2 of this paper.

Remarks begin on page 8 of this paper.



Docket No.: 193390US2PCT

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

RE: Application Serial No.: 09/581,235
Applicants: Ichiro KAMIYA, et al.
Filing Date: August 17, 2000
For: DESALINATION METHOD AND DESALINATION
APPARATUS
Group Art Unit: 1764
Examiner: MANOHARA, VIRGINIA

SIR:


Attached hereto for filing are the following papers:

AMENDMENT UNDER 37 C.F.R. §1.312

Our check in the amount of \$0.00 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Registration No. 25,599
Attorney of Record

Customer Number

22850

(703) 413-3000 (phone)
(703) 413-2220 (fax)

Philip J. Hoffmann
Registration No. 46,340